



Crystal Packaging, Inc.

Wood Glo

1

PRODUCT AND COMPANY IDENTIFICATION

Product Identifier: Wood Glo
Revision Date: 4/1/2019
Version: 2
Chemical Family: Solvent
Internal ID: 1353
Product Description: Solvent and Mineral Seal Oil Base
Product Use: Furniture Polish
Instructions: Use for dark or medium wood
Supplier Details: Crystal Packaging, Inc.
9155 Boston Street
Henderson, CO 80640
Contact: 1-800-262-8200
Phone: 303-778-1805
Email: accountant@crystalpackaging.com
Emergency: Chemtrec

2

HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):

Physical, Flammable Liquids, 3
Health, Acute toxicity, 5 Oral
Health, Acute toxicity, 5 Dermal
Health, Acute toxicity, 5 Inhalation
Health, Skin corrosion/irritation, 2
Health, Serious Eye Damage/Eye Irritation, 2 B

GHS Label Elements, Including Precautionary Statements

GHS Signal Word: **WARNING**

GHS Hazard Pictograms:



GHS Hazard Statements:

H226 - Flammable liquid and vapour
H303 - May be harmful if swallowed
H313 - May be harmful in contact with skin
H333 - May be harmful if inhaled
H315 - Causes skin irritation
H320 - Causes eye irritation

GHS Precautionary Statements:

P102 - Keep out of reach of children.
P103 - Read label before use.
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211 - Do not spray on an open flame or other ignition source.
P281 - Use personal protective equipment as required.
P304 + P312 - IF INHALED: Call a POISON CENTER/doctor/...if you feel unwell.
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Hazards not Otherwise Classified (HNOC) or not Covered by GHS

**Crystal Packaging, Inc.****Wood Glo**

Route of Entry:	Eyes; Ingestion; Inhalation; Skin
Inhalation:	Can cause irritation and inflammation of the respiratory tract.
Skin Contact:	May cause irritation, tearing and redness.
Eye Contact:	May cause serious eye irritation.
Ingestion:	Gastrointestinal distress may occur.

3 COMPOSITION/INFORMATION OF INGREDIENTS

Chemical Ingredients:		
CAS#	%	Chemical Name:
8052-41-3	60-65%	Mineral spirits
64741-89-5	28-33%	Distillates, petroleum, solvent-refined light paraffinic
63148-62-9	2-6%	Siloxanes and Silicones, di-Me

Pylam Chocolate Brown LX1931-- <1%

Koch Orange FB7027FG-- <1%

4 FIRST AID MEASURES

Inhalation:	If symptoms develop, move victim to fresh air. If symptoms persist, obtain medical attention.
Skin Contact:	Promptly flush skin with water until all chemical is removed. Remove contaminated clothing and wash before reuse. Wash with soap and water. Get medical attention if needed.
Eye Contact:	Immediately flush eyes with large amounts of water for at least 15 minutes, lifting eyelids occasionally to facilitate irrigation. Seek medical attention if symptoms persist.
Ingestion:	Do NOT induce vomiting or attempt chemical neutralization. Bring to the attention of a physician. Drink large quantities of water.

5 FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Dry powder, foam, carbon dioxide.

Unsuitable Extinguishing Media: Avoid solid water stream as it may scatter and spread the fire.

Specific Hazards Arising from Chemical:

Elevated temperatures can lead to the formation of irritating vapors

6 ACCIDENTAL RELEASE MEASURES

Do not discharge into drains. Keep away from drains and ground water. Pick up excess with inert absorbant material and place into separate waste container. Watch out for slippery conditions when spillage.
Avoid contact with eyes.

**Crystal Packaging, Inc.****Wood Glo****7****HANDLING AND STORAGE**

Handling Precautions:	Avoid breathing vapors or mist. Avoid contact with eyes, skin, or clothing. Do not puncture or drop containers. Handle with care and avoid spillage on the floor (slippage). Keep away from sources of ignition. Keep material out of reach of children. Launder contaminated clothing. Wash thoroughly after handling.
Storage Requirements:	If container temperature exceeds boiling point, cool the container before opening. Keep away from heat, sparks, and flames. Store in cool/dry area.

8**EXPOSURE CONTROLS/PERSONAL PROTECTION**

Engineering Controls:	Use local exhaust at filling zones and where leakage is probable.
Personal Protective Equipment:	Chemical goggles; Chemical safety glasses; Chemical splash goggles; Goggles; Nitrile gloves; Neoprene gloves; Gloves (solvent resistant); Apron

Exposure Limits:**USA OSHA (TWA₅)/PEL): 500ppm****ACGIH (TWA/TLV): 100ppm****DFG (MAK): NA****Respiratory Protection: NIOSH approved respirator if PEL is met or exceeded.****Ventilation: Local exhaust used at filling site where leakage is probable.****Protective Gloves: Solvent resistant gloves****Eye Protection: Chemical splash goggles or safety glasses****Other Protective Equipment: NA****9****PHYSICAL AND CHEMICAL PROPERTIES**

Appearance:	Brown Liquid	Odor:	Slight Citrus
Physical State:	Liquid	Flash Point:	Above 105 F
Spec Grav./Density:	.80		
Boiling Point:	310 F		
pH:	7.0-7.5		

10**STABILITY AND REACTIVITY**

Chemical Stability:	Product is stable under normal conditions.
Conditions to Avoid:	Extreme temperatures. Flames, sparks.
Materials to Avoid:	Strong Acids; Strong Oxidizing Agents.
Hazardous Decomposition:	Carbon Dioxide. Carbon Monoxide.
Hazardous Polymerization:	Will not occur.

**Crystal Packaging, Inc.****Wood Glo****11 TOXICOLOGICAL INFORMATION****Toxicity Data:**

Eye Effects: Causes mild to moderate eye irritation, redness, and excessive tearing. Reversible with proper care.
Skin Effects: Causes mild to moderate skin irritation and burning. Reversible with proper care.
Acute Inhalation Effects: Mild respiratory irritation may occur with exposure to vapors.
Chronic Effects: Not Known.
Carcinogenicity: Not Known.
Mutagenicity: Not Known.
Teratogenicity: Not Known.

12 ECOLOGICAL INFORMATION

Elimination (persistence and degradability): Inherently Biodegradable.

13 DISPOSAL CONSIDERATIONS

Dispose of in accordance with local, state, and federal regulations.

14 TRANSPORT INFORMATION

UN1268, Petroleum distillates, n.o.s. or Petroleum products, n.o.s., 3, PGIII

15 REGULATORY INFORMATION

[%] RQ (CAS#) Substance - Reg Codes

[60-65%] Mineral spirits (8052-41-3) MASS, OSHAWAC, PA, TSCA, TXAIR

[28-33%] Distillates, petroleum, solvent-refined light paraffinic (64741-89-5) MASS, TSCA, TXAIR

[2-6%] Siloxanes and Silicones, di-Me (63148-62-9) TSCA

This product does not contain chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm.

Regulatory Code Legend

MASS = MA Massachusetts Hazardous Substances List

OSHA = OSHA Workplace Air Contaminants

PA = PA Right-To-Know List of Hazardous Substances

TSCA = Toxic Substances Control Act

TXAIR = TX Air Contaminants with Health Effects Screening Level



Crystal Packaging, Inc.

Wood Glo

16

OTHER INFORMATION

HMIS III: Health = 2, Fire = 2, Physical Hazard = 0

HMIS	
HEALTH	<input type="checkbox"/> 2
FLAMMABILITY	2
PHYSICAL HAZARD	0
PERSONAL PROTECTION	<input type="checkbox"/>

Disclaimer:

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).

This information is given in good faith and based on our current knowledge of the product.

Revision Date: 4/1/2019